

Standard Modes

Resolution	Bits per Pixel	Refresh Rate (Hz)													
		60	70	72	75										
320 x 200	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
320 x 240	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
400 x 300	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
480 x 360	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
512 x 384	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
640 x 400	8	60	70	72	75										
	16	60	70	72	75										
	32	60	70	72	75										
640 x 480	8	60	70	72	75	85	100	120	140	144	150	170	200	240	
	16	60	70	72	75	85	100	120	140	144	150	170	200	240	
	32	60	70	72	75	85	100	120	140	144	150	170	200	240	
720 x 480	8	60													
	16	60													
	32	60													
720 x 576	8	60													
	16	60													
	32	60													
800 x 600	8	60	70	72	75	85	100	120	140	144	150	170	200	240	
	16	60	70	72	75	85	100	120	140	144	150	170	200	240	
	32	60	70	72	75	85	100	120	140	144	150	170	200	240	
848 x 480	8	60	70	72	75	85	100	120	140	144	150	170	200	240	
	16	60	70	72	75	85	100	120	140	144	150	170	200	240	
	32	60	70	72	75	85	100	120	140	144	150	170	200	240	
1024 x 768	8	60	70	72	75	85	100	120	140	144	150	170	200	240	

Shaded: Digital and Analog Support

Nonshaded: Analog Support Only

Bold: Digital Only

Resolution	Bits per Pixel	Refresh Rate (Hz)												
		60	70	72	75	85	100	120	140	144	150	170	200	240
	16	60	70	72	75	85	100	120	140	144	150	170	200	240
	32	60	70	72	75	85	100	120	140	144	150	170	200	
1152 x 864	8	60	70	72	75	85	100	120	140	144	150	170	200	
	16	60	70	72	75	85	100	120	140	144	150	170	200	
	32	60	70	72	75	85	100	120	140	144	150	170		
1280 x 720	8	60	70	72	75	85	100	120	140	144	150	170		
	16	60	70	72	75	85	100	120	140	144	150	170		
	32	60	70	72	75	85	100	120	140	144	150			
1280 x 768	8	60	70	72	75	85	100	120	140	144	150	170		
	16	60	70	72	75	85	100	120	140	144	150	170		
	32	60	70	72	75	85	100	120	140	144	150			
1280 x 800	8	60												
	16	60												
	32	60												
1280 x 960	8	60	70	72	75	85	100	120	140	144	150	170		
	16	60	70	72	75	85	100	120	140	144	150	170		
	32	60	70	72	75	85	100	120	140	144	150			
1280 x 1024	8	60	70	72	75	85	100	120	140	144	150	170		
	16	60	70	72	75	85	100	120	140	144	150	170		
	32	60	70	72	75	85	100	120	140	144	150			
1360 x 768	8	60	70	72	75	85	100	120	140	144	150	170		
	16	60	70	72	75	85	100	120	140	144	150	170		
	32	60	70	72	75	85	100	120	140	144	150			
1366 x 768	8	<b>60</b>												
	16	<b>60</b>												
	32	<b>60</b>												
1400 x 1050	8	60			75	85								
	16	60			75	85								
	32	60			75	85								
1440 x 900	8	60			75	85								
	16	60			75	85								
	32	60			75	85								
1600 x 900	8	60	70	72	75	85	100	120	140	144	150			
	16	60	70	72	75	85	100	120	140	144	150			
	32	60	70	72	75	85	100	120						
1600 x 1024	8	60	70	72	75	85	100	120						

Shaded: Digital and Analog Support

Nonshaded: Analog Support Only

Bold: Digital Only

Resolution	Bits per Pixel	Refresh Rate (Hz)												
		60	70	72	75	85	100	120						
	16	60	70	72	75	85	100	120						
	32	60	70	72	75	85	100							
1600 x 1200*	8	60	70	72	75	85	100	120						
	16	60	70	72	75	85	100	120						
	32	60	70	72	75	85	100							
1680 x 1050*	8	60			75	85								
	16	60			75	85								
	32	60			75	85								
1920 x 1080*	8	60	70	72	75	85	100							
	16	60	70	72	75	85	100							
	32	60	70	72	75	85								
1920 x 1200*	8	60	70	72	75	85	100							
	16	60	70	72	75	85	100							
	32	60	70	72	75	85								
1920 x 1440**	8	60	70	72	75	85								
	16	60	70	72	75	85								
	32	60	70	72	75	85								
2048 x 1536**	8	60	70	72	75	85								
	16	60	70	72	75	85								
	32	60	70	72	75	85								
2560 x 1600**	8	<b>60</b>												
	16	<b>60</b>												
	32	<b>60</b>												

Shaded: Digital and Analog Support

Nonshaded: Analog Support Only

Bold: Digital Only

\*Digital support with reduced blanking.

\*\*Digital support on dual-link DVI enabled boards only.